Table of contents

Abu-Abied M → Eshed Y
Ågren J, Schemske DW: Artificial selection on trichome number in *Brassica rapa* 673
Aguaded S → Mena M
Aguinagalde I → Warwick SI
Ahmad F, Gaur PM, Slinkard AE: Isozyme polymorphism and phylogenetic interpretations in the genus *Cicer* L. 620
Albertsen M → Beavis WD
Alejar MS → Zapata FJ
Alston FH → Manganaris AG
Anandakumar CR, Subramaniam S: Genetics of fertility restoration in hybrid rice 994
Anderson JA, Ogihara Y, Sorrells ME, Tanksley SD: Development of a chromosomal arm map for wheat based on RFLP markers 1035
Anderson PA, Pryor AJ: DNA restriction fragment length polymorphisms in the wheat stem rust fungus, *Puccinia graminis tritici* 715
Arthur LM → Brandle JE
Atkinson MD → Devos KM
Atkinson MD → Liu CJ
Avivi Y → Galili S

Baker RJ → Ricroch A
Barbato GF: Genetic architecture of growth curve parameters in chickens 24
Baril CP: Factor regression for interpreting genotype-environment interaction in bread-wheat trials 1022
Barone A → Gebhardt C
Bartos P → Friebe B
Bates GW, Zelcer A: Molecular tagging of the tobacco chromosome carrying the TMV-resistance gene (N gene) by *Agrobacterium*-mediated transformation 981
Bayley C, Trolinder N, Ray C, Morgan M, Quisenberry JE, Ow DW: Engineering 2,4-D resistance into cotton 645
Beavis WD, Grant D, Albertsen M, Fincher R: Quantitative trait loci for plant height in four maize populations and their associations with qualitative genetic loci 141
Beloualy N, Bouharmont J: NaCl-tolerant plants of *Poncirus trifoliata* regenerated from tolerant cell lines 509
Benito C → Figueiras AM
Bennett MD → Cox AV
Bernardo R: Relationship between single-cross performance and molecular marker heterozygosity 628
Berville A → Santoni S
Beyermann B, Nürnberg P, Weihe A, Meixner M, Epplen JT, Börner T: Fingerprinting plant genomes with oligonucleotide probes specific for simple repetitive DNA sequences 691
Black LD → Warwick SI
Blair H → Halford NG
Blaisonneau J → Zivy M
Blüthner WD → Friebe B
Börner T → Beyermann B
Bonierbale MW → Gebhardt C
Boppenmaier J → Messmer MM
Bouharmont J → Beloualy N
Bouton JH → Brummer EC
Brabant P → Till-Bottraud I
Brandle JE, Arthur LM: A comparative evaluation of two methods of selecting locations used for testing spring wheat cultivars 301
Breiman A → Shimron-Abarbanell D
Brennicke A → Scheike R
Breugel FMA van → Hackstein JHP
Brown AHD → Schoen DJ
Brown GG → Kao HM
Brummer EC, Kochert G, Bouton JH: RFLP variation in diploid and tetraploid alfalfa 89
Brunklaus-Jung E → Messmer MM
Burdon JJ → Schoen DJ
Burias N, Planchon C: Divergent selection for dinitrogen fixation and yield in soybean 543
Burnquist W → Wu KK

Carlson JE, Tulsieram LK, Glaubitz JC, Luk VWK, Kauffeldt C, Rutledge R: Segregation of random amplified DNA markers in F_1 progeny of conifers 194
Carrillo JM → Rousset M
Ceccarelli M, Falistocco E, Cionini PG: Variation of genome size and organization within hexaploid *Festuca arundinacea* 273
Chen C-C → Yang D-I
Chen Shuyang → Zhang Xueyong
Chevreau E → Ochatt SJ
Chikaleke VA → Terauchi R
Chinoy CN → Devos KM
Chinoy CN → Liu CJ
Chojecki J → Zehr BE
Chopra VL → Kirti PB
Chourey PS → Kane EJ
Christey MC, Makaroff CA, Earle ED: Atrazine-resistant cytoplasmic male-sterile-*nigra* broccoli obtained by protoplast fusion between cytoplasmic male-sterile *Brassica oleracea* and atrazine-resistant *Brassica campestris* 201
Cionini PG → Ceccarelli M
Cionini PG → De Pace C
Continella G → Gentile A
Cordesse F, Grellet F, Reddy AS, Delseny M: Genome specificity of rDNA spacer fragments from *Oryza sativa* L. 864
Corke H → Sun M
Cox AV, Bennett MD, Dyer TA: Use of the polymerase chain reaction to detect spacer size heterogeneity in plant 5S-rRNA gene clusters and to locate such clusters in wheat (*Triticum aestivum* L.) 684
Creemers-Molenaar J → Rouwendal GJA
Cremonini R → De Pace C

Dancik BP → Xie CY
Darmency H → Till-Bottraud I
Dasgupta T → Singh O
Daussant J → Rorat T
De Pace D, Delre V, Scarascia Mugnozza GT, Maggini F, Cremonini R, Frediani M, Cionini PG: Legumin of Vicia faba major: accumulation in developing cotyledons, purification, mRNA characterization and chromosomal location of coding genes 17
Debener T → Gebhardt C
Delibes A → Mena M
Delourme R → Gourret J-P
Delre V → De Pace C
Delseny M → Cordesse F
Delseny M → Rorat T
Derks FHM → Wolters AMA
Devaux P → Zivy M
Devey ME, Jermstad KD, Tauer CG, Neale DB: Inheritance of RFLP loci in a loblolly pine three-generation pedigree 238
Devos KM, Atkinson MD, Chinoy CN, Liu CJ, Gale MD: RFLP-based genetic map of the homoeologous group 3 chromosomes of wheat and rye 931
Devos KM → Liu CJ
Diers BW, Keim P, Fehr WR, Shoemaker RC: RFLP analysis of soybean seed protein and oil content 608
Dobrenz AK → Johnson DW
Dotray PD → Marshall LC
Douglas GC → Leduc N
Doussinault G → Mena M
Dudareva NA, Popovsky AV, Kasjanova UV, Veprev SG, Mglinets AV, Salganik RI: Expression of mitochondrial genes in fertile and sterile sugar beet cytoplasms with different nuclear fertility restorer genes 217
Dudley JW → Zehr BE
Dyer TA → Cox AV

Earle ED → Christey MC
Edwards MD, Helentjaris T, Wright S, Stuber CW: Molecular-marker-facilitated investigations of quantitative trait loci in maize. 4. Analysis based on genome saturation with isozyme

and restriction fragment length polymorphism markers 765
Egawa Y → Tomooka N
Ehlenfeldt MK, Hanneman Jr RE: Endosperm dosage relationships among *Lycopersicon* species 367
Eijlander R → Mattheij WM
Eisen EJ: Restricted index selection in mice designed to change body fat without changing body weight: direct responses 973
El-Kassaby YA, Ritland K: Frequency-dependent male reproductive success in a polycross of Douglas fir 752
Elsen JM → Le Roy P
Epplen JT → Beyermann B
Erskine W, Muehlbauer FJ: Allozyme and morphological variability, outcrossing rate and core collection formation in lentil germplasm 119
Eshed Y, Abu-Abied M, Saranga Y, Zamir D: *Lycopersicon esculentum* lines containing small overlapping introgressions from *L. pennellii* 1027

Falistocco E → Ceccarelli M
Fehr WR → Diers BW
Feldman M → Galili S
Feng T-Y → Yang D-I
Fernández-Calvin B, Orellana J: Metaphase I bound arms frequency and genome analysis in wheat-*Aegilops* hybrids. 1. *Ae. variabilis*-wheat and *Ae. kotschyi*-wheat hybrids with low and high homoeologous pairing 264
Ferrer E → Solano R
Ferrer E → Linres C
Field JM → Halford NG
Figueiras AM, Zaragoza C, Gallego FJ, Benito C: NADH dehydrogenase: a new molecular marker for homoeology group 4 in Triticeae. A map of the 4RS chromosome arm in rye 169
Filion WG → Somers DJ
Fincher R → Beavis WD
Fischbeck G → Graner A
Flavell RB → Halford NG
Fominaya A → Linares C
Fominaya A → Solano R
Foolad MR, Jones RA: Models to estimate maternally controlled genetic variation in quantitative seed characters 360
Forster BP → Friebe B
Frediani M → De Pace C
Freyre R → Orjeda G
Friebe B, Hatchett JH, Gill BS, Mukai Y, Sebesta EE: Transfer of Hessian fly resistance from rye to wheat via radiation-induced terminal and intercalary chromosomal translocations 33
Friebe B, Schubert V, Blüthner WD, Hammer K: C-banding pattern and polymorphism of *Aegilops caudata* and chromosomal constitutions of the amphiploid *T. aestivum* – *Ae. caudata* and six derived chromosome addition lines 589
Friebe B, Zeller FJ, Mukai Y, Forster BP, Bartos P, McIntosh RA: Characterization of rust-resistant wheat-*Agropyron intermedium* derivatives by C-banding, in situ hybridization and isozyme analysis 775
Fu YB, Knowles P, Perry DJ: Pollen pool heterogeneity in jack pine (*Pinus banksiana* Lamb.): a problem for estimating outcrossing rates? 500

Gale DM → Devos KM
Gale MD → Liu CJ
Galili G → Galili S
Galili S, Galili G, Avivi Y, Feldman M: Identification and chromosomal location of four subfamilies of the rubisco small subunit genes in common wheat 385
Gallais A: Analysis of variance components of testcross progenies in an autotetraploid species and consequences for recurrent selection with a tester 353
Gallego FJ → Figueiras AM
Gallet M → Ochatt SJ
Ganal MW → Gebhardt C
Garcia-Olmedo F → Mena M
Gauch HG Jr → Nachit MM
Gaur PM → Ahmad F
Gebhardt C, Ritter E, Barone A, Debener T, Walkemeier B, Schachtschabel U, Kaufmann H, Thompson RD, Bonierbale MW, Ganal MW, Tanksley SD, Salamini F: RFLP maps of potato and their alignment with the homoeologous tomato genome 49
Gecheff KI: Further evidence for a high position-specific effect in the action of chemical mutagens on the chromosomes of barley 179
Gengenbach BG → Marshall LC
Gentile A, Tribulato E, Continella G, Vardi A: Differential responses of citrus calli and protoplasts to culture filtrate and toxin of *Phoma tracheiphila* 759
Gerold E → Scheike R
Gill BS → Friebe B
Gladkaja LA → Negruk VI
Gladky AI → Negruk VI
Glaubitz JC → Carlson JE
Gleddie S → Kao HM
Glimelius K → Sundberg E
Goddard ME: A mixed model for analyses of data on multiple genetic markers 878
Gourret J-P, Delourme R, Renard M: Expression of *ogu* cytoplasmic male sterility in cybrids of *Brassica napus* 549
Gowda CLL → Singh O
Graner A, Jahoor A, Schondelmaier J, Siedler H, Pillen K, Fischbeck G, Wenzel G, Herrmann RG: Construction of an RFLP map of barley 250
Grant D → Beavis WD
Grant WF → Pofelis S
Grellet F → Cordesse F
Grellet F → Rorat T
Gronwald JW → Marshall LC
Gundimeda HR, Prakash S, Shivanna KR: Intergeneric hybrids between *Enarthrocarpus lyratus*, a wild species, and crop brassicas 655
Gustafson JP → Somers DJ

Hackstein JHP, Hochstenbach R, Breugel FMA van: Constructing balancer chromosomes for genetic screens in *Drosophila hydei* 821
Hadi S → Kirti PB
Hagger C, Stranzinger G: A method to detect large influences of specific sex chromosomes on quantitative traits 925
Hahn SK → Terauchi R
Halford NG, Field JM, Blair H, Urwin P, Moore K, Robert L, Thompson R, Flavell RB, Tatham AS, Shewry PR: Analysis of HMW glutenin subunits encoded by chromosome 1A of bread wheat (*Triticum aestivum* L.) indicates quantitative effects of grain quality 373
Hammer K → Friebe B
Hanneman Jr RE → Ehlenfeldt MK
Hart GE → Tuleen NA
Hatchett JH → Friebe B
Hayashi Y → Saito Y
Helentjaris T → Edwards MD
Henderson CAP, Pauls KP: The use of haploidy to develop plants that express several recessive traits using light-seeded canola (*Brassica napus*) as an example 476
Herrero M → Hormaza JI
Herrmann RG → Graner A
Herrmann RG → Messmer MM
Hilu KW, Johnson JL: Ribosomal DNA variation in finger millet and wild species of *Eleusine* (Poaceae) 895
Hirai A → Kanno A
Hirano H, Komatsu S, Nakamura A, Kikuchi F, Kajiwara H, Tsunasawa S, Sakiyama F: Structural homology between semidwarfism-related proteins and glutelin seed protein in rice (*Oryza sativa* L.) 153
Hirata Y → Noguchi T
Hochstenbach R → Hackstein JHP
Hodges TK → Peng J
Hormaza JI, Herrero M: Pollen selection 663
Hueros G → Salano R

Imakawa S → Ishikawa S
Ishikawa S, Kato S, Imakawa S, Mikami T, Shimamoto Y: Organelle DNA polymorphism in apple cultivars and rootstocks 963

Islam AKMR, Shepherd KW: Production of wheat-barley recombinant chromosomes through induced homoeologous pairing. 1. Isolation of recombinants involving barley arms 3HL and 6HL 489
Iwanaga M → Orjeda G
Iwata N → Wang ZX

Jacobs M → Sumaryati S
Jacquard P → Noitsakis B
Jahoor A → Graner A
Jaradat AA: Grain protein variability among populations of wild barley (*Hordeum spontaneum* C. Koch.) from Jordan 164
Jean R → Zivy M
Jermstad KD → Devey ME
Johnson DW, Smith SE, Dobrenz AK: Genetic and phenotypic relationships in response to NaCl at different developmental stages in alfalfa 833
Johnson JL → Hilu KW
Jones RA → Foolad MR

Kajiwara H → Hirano H
Kane EJ, Wilson AJ, Chourey PS: Mitochondrial genome variability in *Sorghum* cell culture protoclones 799
Kanegae T → Yamato K
Kanno A, Hirai A: Comparative studies of the structure of chloroplast DNA from four species of *Oryza*: cloning and physical maps 791
Kao HM, Keller WA, Gleddie S, Brown GG: Synthesis of *Brassica oleracea*/*Brassica napus* somatic hybrid plants with novel organelle DNA compositions 313
Kasarda DD → Rousset M
Kasjanova UV → Dudareva NA
Kato S → Ishikawa S
Kauffeldt C → Carlson JE
Kaufmann H → Gebhardt C
Kaushik RP, Khush GS: Genetic analysis of endosperm mutants in rice *Oryza sativa* L. 146
Keim P → Diers BW
Keller WA → Kao HM
Ketata H → Nachit MM
Khush GS → Kaushik RP
Kikuchi F → Hirano H
Kirti PB, Hadi S, Kumar PA, Chopra VL: Production of sodium-chloride-tolerant *Brassica juncea* plants by in vitro selection at the somatic embryo level 233
Klein-Lankhorst RM, Vermunt A, Weide R, Liharska T, Zabel P: Isolation of molecular markers for tomato (*L. esculentum*) using random amplified polymorphic DNA (RAPD) 108
Knaap E van der → Wolters AMA
Knapp SJ → Webb DM
Knowles P → Fu YB
Kochert G → Brummer EC
Komari T → Saito Y
Komatsu S → Hirano H
Koning JRA de → Mattheij WM
Kononowicz H → Peng J
Koop H-U → Spörlein B
Koornneef M → Wolters AMA
Krens FA → Lelivelt CLC
Krens FA → Rouwendal GJA
Kumar A, Rai KS: Conservation of a highly repeated DNA family of *Aedes albopictus* among mosquito genomes (Diptera: Culicidae) 557
Kumar PA → Kirti PB
Kumashiro T → Saito Y

Lafiandra D → Sabelli PA
Lai Y-K → Yang D-I
Lairungreang C → Tomooka N
Lamkey KR → Messmer MM
Le H → Pofelis S
Le Roy P, Elsen JM: Simple test statistics for major gene detection: a numerical comparison 635
Leduc N, Douglas GC, Monnier M: Methods for non-stigmatic pollination in *Trifolium repens* (*Papilionaceae*): seed set with self- and cross-pollination in vitro 912
Lee EA → Messmer MM
Lee M → Messmer MM
Lefranc M → Till-Bottraud I
Lelivelt CLC, Krens FA: Transfer of resistance to the beet cyst nematode (*Heterodera schachtii* Schm.) into the *Brassica napus* L. gene pool through intergeneric somatic hybridization with *Raphanus sativus* L. 887
Li Zhensheng → Zhang Yueyong
Liharska T → Klein-Lankhorst RM
Lin CS, Morrison MJ: Selection of test locations for regional trials of barley 968
Linares C, Vega C, Ferrer E, Fominaya A: Identification of C-banded chromosomes in meiosis and the analysis of nucleolar activity in *Avena byzantina* C. Koch cv 'Kanota' 650
Liu CJ, Atkinson MD, Chinoy CN, Devos KM, Gale MD: Nonhomoeologous translocations between group 4, 5 and 7 chromosomes within wheat and rye 305
Liu CJ → Devos KM
Lopez-Braña I → Mena M
Louwes KM → Mattheij WM
Lu B-R: Dihaploids of *Elymus* from the interspecific crosses *E. dolichatherus* × *E. tibeticus* and *E. brevipes* × *E. panormitanus* 997
Lu TY → Zhanag Q
Luk VWK → Carlson JE
Lukaszewski AJ: A comparison of physical distribution of recombination in chromosome 1R in diploid rye and in hexaploid triticale 1048

Maggini F → De Pace C
Makaroff CA → Christey MC
Manganaris AG, Alston FH: Genetics of esterase isoenzymes in *Malus* 467
Manganaris AG, Alston FH: Genetics of leucine aminopeptidase in apple 345
Manganaris AG, Alston FH: Inheritance and linkage relationships of peroxidase isoenzymes in apple 392
Maroof MAS → Zehr BE
Maroof MAS → Zhang Q
Marshall LC, Somers DA, Dotray PD, Gengenbach BG, Wyse DL, Gronwald JW: Allelic mutations in acetyl-coenzyme. A carboxylase confer herbicide tolerance in maize 435
Masuta C → Saito Y
Mattheij WM, Eijlander R, Koning JRA de, Louwes KM: Interspecific hybridization between the cultivated potato *Solanum tuberosum subspecies tuberosum* L. and the wild species *S. circaeifolium* subsp. *circaeifolium* Bitter exhibiting resistance to *Phytophthora infestans* (Mont.) de Bary and *Globodera pallida* (Stone) Behrens. 1. Somatic hybrids 459
Mattheij WM, Puite KJ: Tetraploid potato hybrids through protoplast fusions and analysis of their performance in the field 807
Maw Sun Lin: Field uniformity of the Japonica rice region of Taiwan as estimated by relative genetic contribution 115
McGrath JM, Quiros CF: Genetic diversity at isozyme and RFLP loci in *Brassica campestris* as related to crop type and geographical origin 783
McIntosh RA → Friebe B
Mehring-Lemper M → Scheike R
Meixner M → Beyermann B
Melchinger AE → Messmer MM
Meldgaard M: Expression of chalcone synthase, dihydroflavonol reductase, and flavanone-3-hydroxylase in mutants of barley deficient in anthocyanin and proanthocyanidin biosynthesis 695
Melzer JM, O'Connell MA: Effect of radiation dose on the production of and the extent of asymmetry in tomato asymmetric somatic hybrids 337
Mena M, Doussinault G, Lopez-Braña I, Aguaded S, García-Olmedo F, Delibes A: Eyespot resistance gene *Pch-1* in H-93 wheat lines. Evidence of linkage to markers of chromosome group 7 and resolution from the endopeptidase locus *Ep-D1b* 1044
Messmer MM, Melchinger AE, Boppenmaier J, Herrmann RG, Brunklaus-Jung E: RFLP analyses of early-maturing European maize germ plasm. I. Genetic diversity among flint and dent inbreds 1003
Messmer MM, Melchinger AE, Lee M, Woodman WL, Lee EA, Lamkey KR: Genetic diversity among progenitors

and elite lines from the Iowa Stiff Stalk Synthetic (BSSS) maize population: comparison of allozyme and RFLP data 97
Meulen-Muisers JJM van der → Wolters AMA
Mglinets AV → Dudareva NA
Mikami T → Ishikawa S
Monnier M → Leduc N
Moore K → Halford NG
Moore PH → Wu KK
Morgan M → Bayley C
Morrison MJ → Lin CS
Mowers RP → Zehr BE
Muehlbauer FJ → Erskine W
Muir WM → Xu S
Mukai Y → Friebe B

Nachit G → Nachit MM
Nachit MM, Nachit G, Ketata H, Gauch HG Jr, Zobel RW: Use of AMMI and linear regression models to analyze genotype-environment interaction in durum wheat 597
Nakamura A → Hirano H
Nakamura RR, Wheeler NC: Self-fertility variation and paternal success through outcrossing in Douglas fir 851
Nakeeraks P → Tomooka N
Naranjo CA → Tito CM
Neale DB → Devey ME
Negruk VI, Zeinalov OA, Gladky AI, Gladkaja LA, Schubert I: Characterization of *Vicia faba* mitochondrial genomes with normal *coxII* and *coxII-orf 192* chimeric genes 185
Negrutiu I → Sumaryati S
Neuhausen SL: Evaluation of restriction fragment length polymorphism in *Cucumis melo* 379
Newhouse, K, Singh B, Shaner D, Stidham M: Mutations in corn (*Zea mays* L.) conferring resistance to imidazolinone herbicides 65
Noguchi T, Hirata Y, Yagishita N: Intervarietal and interspecific chimera formation by in vitro graft-culture method in *Brassica* 727
Noitsakis B, Jacquard P: Competition between cyanogenic and acyanogenic morphs of *Trifolium repens* 443
Novero AU → Zapata FJ
Nürnberg P → Beyermann B

Ochatt SJ, Chevreau E, Gallet M: Organogenesis from 'Passe Crassane' and 'Old Home' pear (*Pyrus communis* L.) protoplasts and isoenzymatic trueness-to-type of the regenerated plants 1013
O'Connell MA → Melzer JM
Ogihara Y → Anderson JA
Ogura Y → Yamato K
Ohyama K → Yamato K
Omwega CO, Roberts PA: Inheritance of resistance to *Meloidogyne* spp. in common bean and the genetic basis of its sensitivity to temperature 720
Orellana J → Fernández-Calvin B
Orjeda G, Freyre R, Iwanaga M: Use of *Ipomoea trifida* germ plasm for sweet potato improvement. 3. Development of 4× interspecific hybrids between *Ipomoea batatas* (L.) Lam. ($2n=6\times=90$) and *I. trifida* (H.B.K.) G. Don. ($2n=2\times=30$) as storage-root initiators for wild species 159
Ow DW → Bayley C

Pauls KP → Henderson CAP
Peffley EB → Ricroch A
Peng J, Kononowicz H, Hodges TK: Transgenic indica rice plants 855
Perry DJ → Fu YB
Pillen K → Graner A
Planchon C → Burias N
Pofelis S, Le H, Grant WF: The development of sulfonylurea herbicide-resistant birdsfoot trefoil (*Lotus corniculatus*) plants from in vitro selection 480
Poggio L → Tito CM
Popovsky AV → Dudareva NA
Potts BM → Tibbits WN
Powell W → Wilde J
Prakash S → Gundimeda HR
Pryor AJ → Anderson PA
Puite KJ → Mattheij WM

Qualset CO → Rousset M
Quiros CF → McGrath JM
Quisenberry JE → Bayley C

Rai KS → Kumar A
Ray C → Bayley C
Reboud X → Till-Bottraud I
Reddy AS → Cordesse F
Renard M → Gourret J-P
Rherissi B → Till-Bottraud I
Ricroch A, Peffley EB, Baker RJ: Chromosomal location of rDNA in *Allium*: in situ hybridization using biotin- and fluorescein-labelled probe 413
Ritland K → El-Kassaby YA
Ritter E → Gebhardt C
Robert L → Halford NG
Roberts PA → Omwega CO
Rorat T, Sadowski J, Grellet F, Daussant J, Delseny M: Characterization of cDNA clones for rye endosperm β-amylase and analysis of β-amylase deficiency in rye mutant lines 257
Rousset M, Carrillo JM Qualset CO, Kasarda DD: Use of recombinant inbred lines of wheat for study of associations of high-molecular-weight glutenin subunit alleles to quantitative traits. 2. Milling and bread-baking quality 403
Rouwendal GJA, Creemers-Molenaar J, Krens FA: Molecular aspects of cytoplasmic male sterility in perennial ryegrass (*Lolium perenne* L.): mtDNA and RNA differences between plants with male-sterile and fertile cytoplasm and restriction mapping of their *atp6* and *cox1* homologous regions 330
Rutledge R → Carlson JE

Sabelli PA, Lafiandra D, Shewry PR: Restriction fragment analysis of 'null' forms at the *Gli-1* loci of bread and durum wheats 428
Sabelli PA, Shewry PR: Characterization and organization of gene families at the *Gli-1* loci of bread and durum wheats by restriction fragment analysis 209
Sadowski J → Rorat T
Saito Y, Komari T, Masuta C, Hayashi Y, Kumashiro T, Takanami Y: Cucumber mosaic virus-tolerant transgenic tomato plants expressing a satellite RNA 679
Sakiyama F → Hirano H
Salamini F → Gebhardt C
Salganik RI → Dudareva NA
Santoni S, Berville A: Characterization of the nuclear ribosomal DNA units and phylogeny of Beta L. wild forms and cultivated beets 533
Saranga Y → Eshed Y
Savva MH → Tibbits WN
Scarascia Mugnozza GT → De Pace C
Schachtschabel U → Gebhardt C
Scheike R, Gerold E, Brennicke A, Mehring-Lemper M, Wricke G: Unique patterns of mitochondrial genes, transcripts and proteins in different male-sterile cytoplasms of *Daucus carota* 419
Schemske DW → Ågren J
Schoen DJ, Burdon JJ, Brown AHD: Resistance of *Glycine tomentella* to soybean leaf rust *Phakopsora pachyrhizi* in relation to ploidy level and geographic distribution 827
Schoenmakers HCH → Wolters AMA
Schondelmaier J → Graner A
Schubert I → Negruk VI
Schubert V → Friebe B
Sebesta EE → Friebe B
Second G → Wang ZY
Senadhira D → Zapata FJ
Sethi SC → Singh O
Shaner D → Newhouse K
Shen BZ → Zhang Q
Shen ZT → Xu YB
Shenoy VB, Vasil IK: Biochemical and molecular analysis of plants derived from embryogenic tissue cultures of napier grass (*Pennisetum purpureum* K. Schum) 947
Shepherd KW → Islam AKMR
Shewry PR → Halford NG
Shewry PR → Sabelli PA
Shewry PR → Halford NG
Shewry PR → Sabelli PA
Shimamoto Y → Ishikawa S
Shimron-Abarbanell D, Breiman A: Comprehensive molecular characteri-

zation of tissue-culture-derived *Hordeum marinum* plants 71
Shivanna KR → Gundimeda HR
Shoemaker RC → Diers BW
Siedler H → Graner A
Singh B → Newhouse K
Singh O, Gowda CLL, Sethi SC, Dasgupta T, Smithson JB: Genetic analysis of agronomic characters in chickpea. I. Estimates of genetic variances from diallel mating designs 956
Singh VP → Zapata FJ
Slinkard AE → Ahmad F
Smith C → Zhang W
Smith SE → Johnson DW
Smithson JB → Singh O
Solano R, Hueros G, Fominaya A, Ferrer E: Organization of repeated sequences in species of the genus *Avena* 602
Somers DA → Marshall LC
Somers DJ, Gustafson JP, Filion WG: The influence of the rye genome on expression of heat shock proteins in triticale 987
Sorrells ME → Anderson JA
Sorrells ME → Wu KK
Spörlein B, Koop, H-U: Lipofectin: direct gene transfer to higher plants using cationic liposomes 1
Stidham M → Newhouse K
Stranzinger G → Hagger C
Strobeck C → Xie CY
Stuber CW → Edwards Md
Subramaniam S → Anandakumar CR
Sumaryati S, Negrutiu I, Jacobs M: Characterization and regeneration of salt- and water-stress mutants from protoplast culture of *Nicotiana plumbaginifolia* (Viviani) 613
Sun M, Corke H: Population genetics of colonizing success of weedy rye in Northern California 321
Sundberg E, Glimelius K: Effects of parental ploidy level and genetic divergence on chromosome elimination and chloroplast segregation in somatic hybrids within *Brassicaceae* 81

Tagliani LA → Webb DM
Takanami Y → Saito Y
Tanksley SD → Anderson JA
Tanksley SD → Gebhardt C
Tanksley SD → Vicente MC de
Tanksley SD → Wang ZY
Tanksley SD → Wu KK
Tatham AS → Halford NG
Tauer CG → Devey ME
Terauchi R, Chikaleke VA, Thottappilly G, Hahn SK: Origin and phylogeny of Guinea yams as revealed by RFLP analysis of chloroplast DNA and nuclear ribosomal DNA 743
Tew TL → Wu KK
Thavarasook C → Tomooka N
Thiellement H → Zivy M
Thompson R → Halford NG
Thompson RD → Gebhardt C
Thottappilly G → Terauchi R
Tibbits WN, Potts BM, Savva MH: Inheritance of freezing resistance in interspecific F_1 hybrids of *Eucalyptus* 126
Till-Bottraud I, Reboud X, Brabant P, Lefranc M, Rherissi B, Vedel F, Darmency H: Outcrossing and hybridization in wild and cultivated foxtail millets: consequences for the release of transgenic crops 940
Tito CM, Poggio L, Naranjo CA: Cytogenetic studies in the genus *Zea*. 3. DNA content and heterochromatin in species and hybrids 58
Tomooka N, Lairungreang C, Nakeeraks P, Egawa Y, Thavarasook C: Center of genetic diversity and dissemination pathways in mung bean deduced from seed protein electrophoresis 289
Torrizo LB → Zapata FJ
Tostain S: Enzyme diversity in pearl millet (*Pennisetum glaucum* L.). 3. Wild millet 733
Tribulato E → Gentile A
Trolinder N → Bayley C
Tsuchiya T, Wang S: Cytogenetics of ditelotetrasomics for short arms of four chromosomes of barley (*Hordeum vulgare* L.) 41
Tsunasawa S → Hirano H
Tuleen NA, Yang Y-C, Hart GE: Evidence that *Aco-B2* and *Aco-D2* of *Triticum aestivum* are located in chromosomes 4B and 4D 1019
Tulsieram LK → Carlson JE

Urwin P → Halford NG

Vardi A → Gentile A
Vasil IK → Shenoy VB
Vedel F → Till-Bottraud I
Vega C → > Linares C
Veprev SG → Dudareva NA
Vermunt A → Klein-Lankhorst RM
Vicente MC de, Tanksley SD: Genome-wide reduction in recombination of backcross progeny derived from male versus female gametes in an interspecific cross of tomato 173

Walkemeier B → Gebhardt C
Wang S → Tsuchiya T
Wang ZX, Iwata N: Production of n+1 plants and tetrasomics by means of anther culture of trisomic plants in rice (*Oryza sativa* L.) 12
Wang ZY, Second G, Tanksley SD: Polymorphism and phylogenetic relationships among species in the genus *Oryza* as determined by analysis of nuclear RFLPs 565
Warwick SI, Black LD, Aguinagalde I: Molecular systematics of *Brassica* and allied genera (Subtribe) – chloroplast DNA variation in the genus *Diplotaxis* 839
Waugh R → Wilde J
Webb DM, Knapp SJ, Tagliani LA: Restriction fragment length polymorphism and allozyme linkage map of *Cuphea lanceolata* 528
Weide R → Klein-Lankhorst RM
Weihe A → Beyermann B
Weller JI, Wyler A: Power of different sampling strategies to detect quantitative trait loci variance effects 582
Wenzel G → Graner A
Wheeler NC → Nakamura RR
Wilde J, Waugh R, Powell W: Genetic fingerprinting of *Theobroma* clones using randomly amplified polymorphic DNA markers 871
Wilson AJ → Kane EJ
Wolters AMA, Schoenmakers HCH, Meulen-Muisers JJM van der, Knaap E van der, Derks FHM, Koornneef M, Zelcer A: Limited DNA elimination from the irradiated potato parent in fusion products of albino *Lycopersicon esculentum* and *Solanum tuberosum* 225
Woodman WL → Messmer MM
Wricke G → Scheike R
Wright S → Edwards MD
Wu KK, Burnquist W, Sorrells ME, Tew TL, Moore PH, Tanksley SD: The detection and estimation of linkage in polyploids using single-dose restriction fragments 294
Wyler A → Weller JI
Wyse DL → Marshall LC

Xie CY, Yeh FC, Dancik BP, Strobeck C: Joint estimation of immigration and mating system parameters in gymnosperms using the *EM* algorithm 137
Xu S, Muir WM: Selection index updating 451
Xu YB, Shen ZT: Diallel analysis of tiller number at different growth stages in rice (*Oryza sativa* L.) 243

Yagishita N → Noguchi T
Yamada Y → Yamato K
Yamato K, Ogura Y, Kanegae T, Yamada Y, Ohyama K: Mitochondrial genome structure of rice suspension culture from cytoplasmic male-sterile line (A-58CMS): reappraisal of the master circle 279
Yang D-I, Feng T-Y, Chen C-C, Lai Y-K: Physical maps of *Nicotiana* chloroplast DNA constructed by an efficient procedure 515
Yang Y-C → Tuleen NA
Yeh FC → Xie CY

Zabel P → Klein-Lankhorst RM
Zamir D → Eshed Y
Zapata FJ, Alejar MS, Torrizo LB, Novero AU, Singh VP, Senadhira D: Field performance of anther-culture-

derived lines from F_1 crosses of Indica rices under saline and nonsaline conditions 6
Zaragoza C → Figueiras AM
Zehr BE, Dudley JW, Chojecki J, Maroof MAS, Mowers RP: Use of RFLP markers to search for alleles in a maize population for improvement of an elite hybrid 903
Zeinalov OA → Negruk VI
Zelcer A → Bates GW
Zelcer A → Wolters AMA
Zeller FJ → Friebe B
Zhang Q, Maroof MAS, Lu TY, Shen BZ: Genetic diversity and differentiation of *indica* and *japonica* rice detected by RFLP analysis 495
Zhang W, Smith C: Computer simulation of marker-assisted selection utilizing linkage disequilibrium 813
Zhang Xueyong, Li Zhensheng, Chen Shuyang: Production and identification of three 4Ag(4D) substitution lines of *Triticum aestivum* – *Agropyron*: relative transmission rate of alien chromosomes 707
Zivy M, Devaux P, Blaisonneau J, Jean R, Thiellement H: Segregation distortion and linkage studies in microspore-derived double haploid lines of *Hordeum vulgare* L. 919
Zobel RW → Nachit MM

Book rewievs 136, 400–402, 930, 1054

Erratum 136

Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

A. G. Abbott (Clemson, USA)
W. T. Adams (Corvallis, USA)
K. C. Armstrong (Ottawa, Canada)
P. D. Ascher (St. Paul, USA)
J. Bailey-Serres (Riverside, USA)
S. Barrett (Guelph, Canada)
G. R. Bauchan (Beltsville, USA)
B. Beavis (Johnston, USA)
H. Binding (Kiel, Germany)
E. T. Bingham (Madison, USA)
N. Blans (Illinois, USA)
Y. Blume (Kiev, Ukraine)
F. Bonhomme (Versailles, France)
A. D. Bradshaw (Liverpool, UK)
J. E. Brandle (Delhi, Canada)
S. Brown (Stanton, USA)
R. I. Buzzell (Harrow, Canada)
A. Cahaner (Bet Dagan, Israel)
W. A. Campton (Lincoln, USA)
M. D. Casler (Madison, USA)
L. J. Chaves (Piracicaba, Brazil)
N. Cowen (Champaign, USA)
X. Delannsy (St. Louis, USA)
M. Delseny (Perpignan, France)
B. S. Dhillon (Stuttgart, Germany)
R. Dirks (Haelen, Netherlands)
R. L. Ditterline (Bozeman, USA)
J. J. Doyle (Ithaca, USA)
J. Dudley (Urbana, USA)
J. Dvorak (Davis, USA)
E. D. Earle (Gainsville, USA)
B. Ehdaie (Riverside, USA)
R. C. Elston (New Orleans, USA)
B. Epperson (Riverside, USA)
K. Esser (Bochum, Germany)
B. Foroughi-Wehr (Grünbach, Germany)
L. Foulley (Versailles, France)
S. Gahey-Laughnan (Urbana, USA)
C. Gebhardt (Köln, Germany)
B. G. Gengenbach (St. Paul, USA)
A. Graner (Grünbach, Germany)
M. Grossman (Urbana, USA)
J. F. Gustafson (Columbia, USA)
J. Hamrick (Athens, USA)
M. Havey (Madison, USA)
D. Hoisington (Mexico City, Mexico)
W. Hondelmann (Braunschweig, Germany)
T. Hymowitz (Champagne, USA)
J. Imsande (Ames, USA)
E. Jacobsen (Wageningen, Netherlands)
P. P. Jauhar (Logan, USA)
C. Jung (München, Germany)
S. J. Knapp (Corvallis, USA)
I. K. Komarnitsky (Kiev, Ukraine)
K. R. Lamkey (Ames, USA)
N. Lapitan (Fort Collins, USA)
M. S. Lin (Taichung, Taiwan)
V. Lind (Grünbach, Germany)
O. Mayo (Glen Osmond, Australia)
H. Marks (Athens, USA)
K. Meyer (Armidale, Australia)
K. A. Moldenhauer (Stuttgart, Germany)
J. Moreno-Gonzalez (Ames, USA)
D. L. Mulcahy (Amherst, USA)
J. Müller (Münster, Germany)
P. Murphy (Raleigh, USA)
T. Okita (Pullman, USA)
S. R. M. Pirson (Beaumond, USA)
K. Ritland (Guelph, Canada)
A. M. Samoylov (Kiev, Ukraine)
M. Saul (Zürich, Switzerland)
L. Schilde (Tübingen, Germany)
G. Second (Manila, Philippines)
D. V. Shaw (Davis, USA)
R. K. Shepheerd (Armidale, Australia)
V. Sidorov (Kiev, Ukraine)
O. S. Smith (Johnston, USA)
M. Soller (Bet Dagan, Israel)
M. E. Sorrells (Ithaca, USA)
G. Spangenberg (Zürich, Switzerland)
C. Souza (Sao Paulo, Brazil)
G. C. C. Tai (Fredricton, Canada)
D. H. Timothy (Raleigh, USA)
H. Walther (Grünbach, Germany)
J. G. Waines (Riverside, USA)
N. Weeden (Geneva, USA)
C. F. Wehrhahn (Vancouver, Canada)
D. von Wettstein (Copenhagen, Denmark)
L. Willmitzer (Berlin, Germany)
F. J. Zapata (Los Banos, Philippines)
F.-J. Zeller (Freising, Germany)
Q. Zhang (Blacksburg, USA)

as well as the assistance of Mrs. Kathy Seaman at the editorial office.